

National Mission for Clean Ganga
(Ministry of Water Resources, River Development & Ganga Rejuvenation)
1st Floor, Major Dhyan Chand National Stadium
India Gate, New Delhi-110002

RFP No.: T-17/2014-15/834/NMCG

Dated: 19th July 2017

Corrigendum to Request for Proposal Document

Subject: Selection of Consultant for Performance Assessment and Rehabilitation of Existing STPs.

S.No.	Clause No. & Reference/ Page No.	Original Clause	Revised Clause
1	Clause 4.5.2, Page 31 Table Sl. No. "D"	As per Annexure A	As per Annexure AA
2	Appendix 13, Clause 4.E(iii), Page 71, Table Sl. No. 1 and 2	As per Annexure B	As per Annexure BB
3	Appendix 1-Schedule of Bidding Process Page 36, Table Sr. No. 4, Column 3	July 21, 2017, 15:00 Hrs.	July 21, 2017, 16:00 Hrs.

Annexure A

D.	Relevant Qualification, and Experience and work employment status relationship of the Key Personnel				40
	Designation	No. of Persons	Marks / Person	Maximum Marks	
	Team Leader	1	10	10	
	Dy. Team Leader	1	7.5	7.5	
	Electrical Expert	1	7.5	7.5	
	Instrumentation and Control Expert	1	7.5	7.5	
	Process Expert	1	7.5	7.5	
	TOTAL	5		40	

Annexure AA

D	Relevant Qualification, and Experience and work employment status relationship of the Key Personnel					40	
	1. Designation: Team Leader			No. of Persons	Marks / Person		Maximum Marks
	Criteria	Basis for Evaluation	Marks				
	Qualification	PG degree	3	1	10		10
		With Addl. Qualification	4				
	Experience	20-24 Yrs	2	1	10		10
		24-28 Yrs	3				
		Above 28 Yrs.	4				
	Position/ Project/s As TL in PMC	Exp. for 5-7 Yrs.	1	1	10		10
		Exp. above 7 Yrs.	2				
	Maximum Marks						10
	2. Designation: Dy.Team Leader			No. of Persons	Marks / Person		Maximum Marks
	Criteria	Basis for Evaluation	Marks				
	Qualification	Mech.Engg Grad. Degree	2	1	8		8
		With Addl. Qualification	3				
	Experience	For 15-20 Yrs	2	1	8		8
		Above 20 Yrs.	3				
	Position/ Project/s As TL/DTL in PMC	Exp. for 5-7 Yrs	1	1	8		8
		Exp. for above 7 Yrs	2				
	Maximum Marks						8
3. Designation : Electrical Expert			No. of Persons	Marks / Person	Maximum Marks		
Criteria	Basis for Evaluation	Marks					
Qualification	Electrical Engg Grad. Degree	2	1	7.5	7.5		
	With Addl. Qualification	3					
Experience	For 10-13 Yrs	2	1	7.5	7.5		
	Above 13 Yrs.	3					

Position/ Project/s Similar Experience in STP Sector	Exp. for 2-3 Projects	1			
	Exp. for above 3 Projects	1.5			
Maximum Marks		7.5			
4. Designation : Instrumentation and Control Expert			No. of Persons	Marks / Person	Maximum Marks
Criteria	Basis for Evaluation	Marks	1	7.5	7.5
Qualification	Instrumentatio n/Electrical Engg Grad. Degree	2			
	With Addl. Qualification	3			
Experience	For 10-13 Yrs	2			
	Above 13 Yrs.	3			
Position/ Project/s As TL/DTL in PMC	Exp. for 2-3 Projects	1			
	Exp. for above 3 Projects	1.5			
Maximum Marks		7.5			
5. Designation : Process Expert			No. of Persons	Marks / Person	Maximum Marks
Criteria	Basis for Evaluation	Marks	1	7	7
Qualification	Chemical/Envir onment Engg. Grad. Degree	2			
	With Addl. Qualification	2.5			
Experience	For 10-13 Yrs	2			
	Above 13 Yrs.	3			
Position/ Project/s As TL/DTL in PMC	Exp. for 2-3 Projects	1			
	Exp. for above 3 Projects	1.5			
Maximum Marks		7			
TOTAL			5		40

Annexure B

Sr.No.	Key Person	Qualification & Experience
1.	Team Leader	Post Graduate in Sanitary/Public Health/Environmental Engineering. 20 years total experience working in engineering and consulting activities and at least 15 years spent preferably in the sewerage systems network, pumping/lifting stations and Sewage Treatment Plants, Interception and diversion schemes, Industrial effluent treatment Plants. At least 10 years will have been spent in Project Management with experience as team leader on projects of similar nature.
2.	Dy. Team Leader	Graduate in Mechanical Engineering with 15+ years and should also have experience in Water Wastewater treatment projects. 10+ years working experience in engineering design/ consulting activities in pumping/lifting stations and sewage treatment plants, effluent treatment Plants, Other infrastructure projects. At least 5 years will have been spent in Project Management with experience on projects of a similar nature.

Annexure BB

1.	Team Leader (TL)	Post Graduate in Sanitary/Public Health/Environmental Engineering. 20 years total experience working in engineering and consulting activities and at least 10 years spent preferably in the sewerage systems network, pumping/lifting stations and Sewage Treatment Plants, Interception and diversion schemes, Industrial effluent treatment Plants. At least 5 years will have been spent in Project Management with experience as team leader on projects of similar nature.
2.	Dy. Team Leader (DTL)	Graduate in Mechanical Engineering with 15+ years and should also have experience in Water Wastewater treatment projects. 10+ years working experience in engineering design/ consulting activities in pumping/lifting stations and sewage treatment plants, effluent treatment Plants, Other infrastructure projects. At least 5 years will have been spent in Project Management with experience on projects of a similar nature as TL/DTL.